botanacor

CERTIFICATE OF ANALYSIS

prepared for: LOST RANGE CBD
2835 DOWNHILL PLAZA, UNIT 602
STEAMBOAT SPRINGS, CO 80487

Gold Buckle Muscle & Joint Rub

Batch ID:	GBMJ-002	**Test ID:**	1076048.0034
Reported:	1-Jul-2020	**Method:**	TM14
Type:	Topical		
Test:	Potency		

CANNABINOID PROFILE





Compound	LOQ (mg)	Result (mg)	Result (mg/g)
Delta 9-Tetrahydrocannabinolic acid (THCA-A)	5.02	ND	ND
Delta 9-Tetrahydrocannabinol (Delta 9THC)	2.51	ND	ND
Cannabidiolic acid (CBDA)	10.79	ND	ND
Cannabidiol (CBD)	6.03	3975.10	71.0
Delta 8-Tetrahydrocannabinol (Delta 8THC)	2.75	ND	ND
Cannabinolic Acid (CBNA)	6.88	ND	ND
Cannabinol (CBN)	3.05	ND	ND
Cannabigerolic acid (CBGA)	4.39	ND	ND
Cannabigerol (CBG)	2.47	ND	ND
Tetrahydrocannabivarinic Acid (THCVA)	4.31	ND	ND
Tetrahydrocannabivarin (THCV)	2.24	ND	ND
Cannabidivarinic Acid (CBDVA)	10.02	ND	ND
Cannabidivarin (CBDV)	5.49	8.50	0.2
Cannabichromenic Acid (CBCA)	3.76	ND	ND
Cannabichromene (CBC)	4.53	ND	ND
Total Cannabinoids		**3983.60**	**71.14**
Total Potential THC**		ND	ND
Total Potential CBD**		3975.10	70.98

% = % (w/w) = Percent (Weight of Analyte / Weight of Product)

* Total Cannabinoids result reflects the absolute sum of all cannabinoids detected.

** Total Potential THC/CBD is calculated using the following formulas to take into account the loss of a carboxyl group during decarboxylation step.
Total THC = THC + (THCa *(0.877)) and Total CBD = CBD + (CBDa *(0.877))

ND = None Detected (Defined by Dynamic Range of the method)

NOTES:

# of Servings = 1, Sample Weight=56g

N/A

FINAL APPROVAL

Daniel Weidensaul
1-Jul-2020
2:24 PM

PREPARED BY / DATE

Ben Minton
1-Jul-2020
4:39 PM

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC. ISO/IEC 17025:2005 Accredited A2LA Certificate Number 4329.02

ilac-MRA A2LA ACCREDITED
Certificate #4329.02

Botanacor Laboratories™, All Rights Reserved | 1301 S Jason St Unit K, Denver, CO 80223 | 888.800.8223 | www.botanacor.com